

INDEX MAPS.
T. 21N, R. 8E. 2nd Mer.

6	16	5	11	4	7	3	4	2	1	1
16		15		10		7		4		
7	15	8	10	9	7	10	5	11		12
15		14		10		6		3		
18	14	17	9	16	6	15	3	14		13
14		13		9		6		2		
19	13	20	9	21	5	22	2	23		24
13		13		9		5		2		
30	12	29	8	28	5	27	2	26		25
12		12		8		5		1		
31	11	32	8	33	4	34	1	35		36

Beginning in Vol. 18

T. 22N, R. 8E. 2nd Mer.

	23	23	22	22	22	22					
25	6	43	5	38	4	35	3	31	2	28	1 21
	42		42		38		34		31		28
24	7	42	8	37	9	34	10	31	11	27	12 21
	42		41		37		34		30		27
24	18	41	17	37	16	33	15	30	14	27	13 21
	41		40		36		33		30		27
24	19	40	20	36	21	33	22	30	23	26	24 21
	40		39		36		32		29		26
24	30	39	29	35	28	32	27	29	26	26	25 20
	39		38		35		32		29		26
23	31	38	32	35	33	32	34	28	35	25	36 20
	20		20		19		19		19		19

(P) The figures on the lines refer to the page.

19

Township 22 North, Range 8 East 3rd Mer. Ind.

South Boundary.

Var. 6° 15' E.

West on S. Side of Sec. 36

40.00 Set q. Sec. post from which

an Elm 24 in. diam. bears S 54° W 15' W. dist. 9

a W. Oak 8 " " " N 71° E 44 " "

80.00 Set post cor. to Secs. 35 & 36 from which

a W. Oak 12 in. diam. bears S 28° W 7' W. dist. 9

a Hickory 8 " " " N 64° E 21 " "

Rich Land, Timber Beech, Sugar, Ash, Spruce &c

West on S. Side of Sec. 35

40.00 Set q. Sec. post from which

a Beech 12 in. diam. bears S 79° W 38' W. dist. 9

an Elm 12 " " " N 52° E 21 " "

80.00 Set post cor. to Secs. 34 & 35 from which

a Beech 24 in. diam. bears S 85° W 32' W. dist. 9

a Do 8 " " " N 66° E 10 " "

Land & Timber same as on the last line.

West on S. Side of Sec. 34

40.00 Set q. Sec. post from which

a Beech 10 in. diam. bears N 82° W 30' W. dist. 9

a Do 12 " " " S 87° E 22 " "

80.00 Set post cor. to Secs. 33 & 34 from which

a Beech 12 in. diam. bears N 37° E 10' W. dist. 9

a Do 12 " " " S 79° W 44 " "

Land & Timber same as on the last line

West on S. Side of Sec. 33

40.00 Set q. Sec. post from which

a Buckeye 12 in. diam. bears N 70° W 11' W. dist. 9

a Beech 10 " " " S 73° W 30 " "

80.00 Set post cor. to Secs. 32 & 33 from which

a Beech 10 in. diam. bears N 65° W 10' W. dist. 9

a Do 12 " " " N 82° E 31 " "

Sec. 22 N. W. R. & E. 2nd Mer. Indiana

Land & Timber Same as on the last line.

West on S. Side of Sec. 32

40.00 Set gr. Sec. post from which
 a Beech 10 in. diam. bears S 86 W 10 1/2 mi. dist. of
 a Sugar 18 " " " N 63 E 21 " "
 80.00 Set post cor. to Secs. 31 & 32 from which
 a Hickory 10 in. diam. bears S 1 E 3 1/2 mi. dist.
 a Sugar 24 " " " N 57 W 5 " "
 Land & Timber Same as on the last line.

West on S. Side of Sec. 31

40.00 Set gr. Sec. post from which
 an Ironwood 8 in. diam. bears S 49 E 12 1/2 mi. dist. of
 an Ash 6 " " " S 78 W 4 " "
 80.00 Intersect Range line 150 W. 1/2 of Temp. Post.
 when set post cor. to Townships 24 & 25 North,
 Ranges 7 & 8 East from which
 an Ash 12 in. diam. bears S 49 E 23 1/2 mi. dist. of
 a Beech 12 " " " N 25 E 43 " "
 Land & Timber Same as on the last line.

January 2nd 1820—

East Boundary—

Var. 6° 15' E.

North on E. Side of Sec. 36

40.00 Set gr. Sec. post from which
 a Sugar 8 in. diam. bears S 24 E 41 W. 1/2 dist. of
 a Beech 36 " " " N 40 W 76 " "
 62.30 a Do 24 " "
 80.00 Set post cor. to Secs. 25 & 36 from which
 a Beech 36 in. diam. bears S 78 E 6 W. 1/2 dist. of
 a Do " " " S 70 W 23 " "
 Rich land, Beech, Sugar, Ash, Spruce &c

North on E. Side of Sec. 25—

W. D. N. R. & Co. 2nd Mer. Indiana

- 40.00 Set gp. Sec. post from which
an Ironwood 8 in. diam. bears S 20 E 4 1/2 mi. dist. 9
an Ash 24 " " " S 55 W 24 " "
- 80.00 Set post cu. to Secs. 24 & 25 from which
a Hickory 10 in. diam. bears S 20 E 25 1/2 mi. dist. 9
an Elm 10 " " " N 5 E 21 " "
Land & Timber Same as on the last line —

North on E. Side of Sec. 24

- 40.00 Set gp. Sec. post from which
a Beech 8 in. diam. bears S 10 E 13 1/2 mi. dist. 9
a Buckeye " " " N 37 E 8 " "
- 80.00 Set post cu. to Secs. 13 & 24 from which
a W. Oak 12 in. diam. bears N 47 W 19 1/2 mi. dist. 9
a Buckeye 8 " " " S 20 W 17 " "
Land & Timber Same as on the last line.

North on E. Side of Sec. 13

- 40.00 Set gp. Sec. post from which
a Beech 24 in. diam. bears S 3 W 32 1/2 mi. dist. 9
a Do 10 " " " N 31 W 13 " "
- 80.00 Set post cu. to Secs. 12 & 13 from which
a Spruce 12 in. diam. bears S 5 W 34 1/2 mi. dist. 9
an Ash 8 " " " N 63 E 12 " "
Land & Timber Same as on the last line —

North on E. Side of Sec. 12

- 40.00 Set gp. Sec. post from which
an Ironwood 8 in. diam. bears S 8 E 22 1/2 mi. dist. 9
a Beech 12 " " " N 30 W 19 " "
- 80.00 Set post cu. to Secs. 14 & 12 from which
a Beech 12 in. diam. bears S 25 E 28 1/2 mi. dist. 9
a Do 10 " " " N 55 W 18 " "
Land & Timber Same as on the last line —

North on E. Side of Sec. 1

T. 23 N. - R. 8 E. 3rd Mer. Indiana.

40.00 Set gp. Sec. post from which
 a Hickory 12 in. diam. bears S 38 W 6 W. dist. 9
 a Buck 12 " " " N 7 E 23 " "
 80.00 Set temp. Town Corner post

North Boundary.

West on S. Side of Sec. 36 T. 23 N. - R. 8 E.
 40.00 Set gp. Sec. post from which
 an Ash 7 in. diam. bears S 64 E 8 W. dist. 9
 a Maple 8 " " " N 36 W 17 " "
 80.00 Set post cor. to Secs. 35 & 36 from which
 an Ash 10 in. diam. bears S 78 W 17 W. dist. 9
 a Do 18 " " " S 53 E 13 " "
 Own good farming land. Beech. Ash. Oak &c

West on S. Side of Sec. 35 T. 23 N. - R. 8 E.
 40.00 Set gp. Sec. post from which
 an Ash 8 in. diam. bears N 85 E 35 W. dist. 9
 a Buck 14 " " " S 79 W 26 " "
 46.35 a Do 12 " "
 80.00 Set post cor. to Secs. 34 & 35 from which
 an Ash 12 in. diam. bears N 73 W 6 W. dist. 9
 a Hickory 8 " " " S 64 W 26 " "
 Land Timber same as on the last line -

West on S. Side of Sec. 34 T. 23 N. - R. 8 E.
 40.00 Set gp. Sec. post from which
 a Hornbeam 6 in. diam. bears N 3 E 3 W. dist. 9
 a Hickory 14 " " " N 83 W 36 " "
 80.00 Set post cor. to Secs. 33 & 34 from which
 a Buck 13 in. diam. bears N 72 E 18 W. dist. 9
 a Do 14 " " " S 56 W 36 " "
 Land Timber same as on the last line -

West on S. Side of Sec. 33 T. 23 N. - R. 8 E.

23

W. 22 N. - R. 8 E. 2nd Mer. Indiana

40.00 Set g. Sec. post from which
 an Elm 8 in. diam. bears N 67 W 14 W. dir. 8
 a Do 12 " " " S 32 E 26 " "
 80.00 Set post cu. to Sec. 32 & 33 from which
 an Elm 20 in. diam. bears N 65 W 9 W. dir. 8
 an Ash 10 " " " S 85 W 29 " "
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 31 T. 23 N. - R. 8 E.
 40.00 Set g. Sec. post from which
 a Buck 14 in. diam. bears S 85 E 12 W. dir. 9
 a Do 15 " " " S 85 W 39 " "
 59.30 an Oak 24 " "
 80.00 Set post cu. to Sec. 31 & 32 from which
 a Hickory 8 in. diam. bears S 82 E 19 W. dir. 8
 a W. Oak 8 " " " S 59 W 5 " "
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 31 T. 23 N. - R. 8 E.
 40.00 Set g. Sec. post from which
 a Walnut 12 in. diam. bears N 68 E 21 W. dir. 8
 a Buck 14 " " " S 68 W 39 " "
 75.11 Intersect Range line 285 W. S. of temp. post
 when set post cu. to Township 22 & 23 North,
 Range 7 & 8 East from which
 an Ash 10 in. diam. bears S 44 E 13 W. dir. 8
 a 12 " " " S 89 W 23 " "
 Sand & Timber Same as on the last line -

West Boundary -

Var. 6⁰⁰ E.

North on E. Side of Sec. 36 T. 22 N. - R. 7 E.
 40.00 Set g. Sec. post from which
 an Ash 8 in. diam. bears N 79 W 12 W. dir. 8
 a Logwood 6 " " " N 48 E 9 " "
 69.50 a Creek 25 W. wide Cross S. W. -

Prof. D. N. R. & E. Ind. Mer. Indiana.

80.00 Let Post cut to Sec. 25 & 36 from which
 a Buck 24 in. diam. bears S 45 E 26 mi. dist. N
 a Do 12 " " " N 65 W 28 " "
 Rich Sand. Rich. Sugar. Ash. Spruce &c.

North on E. Side of Sec. 35 T. 22 N. - R. 7 E.

20.65 a Buck 24 in. diam.

40.00 Let q. Sec. post from which
 a Hickory 8 in. diam. bears N 13 W 19 mi. dist. N
 a Buckeye 8 " " " N 20 E 3 " "

80.00 Let post cut to Sec. 24 & 25 from which
 a Hickory 24 in. diam. bears S 44 E 5 mi. dist. N
 a Buck 10 " " " N 30 W 24 " "
 Sand & Timber same as in the last line.

North on E. Side of Sec. 34 T. 22 N. - R. 7 E.

40.00 Let q. Sec. post from which
 a Buck 10 in. diam. bears S 31 E 18 mi. dist. N
 a Do 10 " " " N 30 W 20 " "

80.00 Let Post cut to Sec. 13 & 24 from which
 a Sugar 36 in. diam. bears S 20 E 25 mi. dist. N
 a Buck 10 " " " N 79 W 14 " "
 Sand & Timber same as in the last line

North on E. Side of Sec. 13 T. 22 N. - R. 7 E.

40.00 Let q. Sec. Post from which
 a Dogwood 10 in. diam. bears S 37 W 28 mi. dist. N
 a Sugar 12 " " " East 18 " "

80.00 Let Post cut to Sec. 12 & 13 from which
 a Sugar 6 in. diam. bears S 36 E 7 mi. dist. N
 a Hickory 18 " " " N 36 E 13 " "
 Sand & Timber same as in the last line -

North on E. Side of Sec. 12 T. 22 N. - R. 7 E.

40.00 Let q. Sec. Post from which
 a Hickory 12 in. diam. bears N 7 E 13 mi. dist. N

25

T. 22 N. - R. 8 E. 2nd Mer. Indiana

an Ironwood 8 in. diam. bears S 86 W 13 W. dist.
 80.00 Set post cen. to Sec. 14 & 12 from which
 a Hickory 24 in. diam. bears S 26 W 30 W. dist. 1/2
 a Do 18 " " " N 60 E 16 " "
 Sand & Timber same as on the last line -

North on E. Side of Sec. 1 T. 22 N. - R. 7 E -
 40.00 Set gp. sec. post from which
 an ash 12 in. diam. bears S 29 W 11 W. dist. 1/2
 a Hickory 8 " " " S 50 E 5 " "
 80.00 Set Camp. Town Cen. Post -
 Sand & Timber same as on the last line -
 January 3rd 1820 Surveyed by
 John James W. McDonald J. L.

Subdivision -

North Between Secs. 35 & 36
 28.54 a Hickory 28 in. diam.
 40.00 Set gp. Sec. post from which
 a Beech 8 in. diam. bears N 37 W 18 W. dist. 1/2
 an Ironwood 4 " " " S 3 E 23 " "
 55.37 an Elm 38 " "
 71.52 a Beech 12 " "
 80.00 Set post cen. to Secs. 25, 26, 35 & 36 from which
 a Beech 28 in. diam. bears S 2 E 1 W. dist. 1/2
 a Do 8 " " " N 24 W 24 " "
 Sand low & rich Timber Beech, Elm, Ash &
 undergrowth Ironwood, Spruce &c.

East on Random between Secs. 25 & 36 -
 40.00 Set temp. gp. Sec. post -
 79.50 Intersect E. Bound. line 200 W. N. of post -

West Corner between Secs. 25 & 36
 39.70 Set gp. Sec. Post at same dist. from which

Sec. 22 N. R. 8 E. T² Mo. Indiana

a Buck 5 in. diam. Vans S 35 E 4 W. dist. 9
 a Do 12 " " " N 48 W 18 " "
 79.50 To Sec. Corner.

North Return Sec. 25 & 26 -

15.66 a Buckeye 24 in. diam.
 37.45 a Hickory 26 " "
 40.00 Set g. Sec. post from which
 a Buck 6 in. diam. Vans S 28 E 28 W. dist. 9
 a Do 30 " " " N 57 W 32 " "
 75.63 a Do 14 " "
 80.00 Set post cn. to Sec. 23, 24, 25 & 26 from which
 a Buck 15 in. diam. Vans S 35 W 18 W. dist. 9
 a Do 28 " " " N 38 E 41 " "

East or Random Return Sec. 24 & 25 -

40.00 Set temp. g. Sec. post -
 79.60 Return to Bound. line 196 W. N. of post -

West Corner Return Sec. 24 & 25 -

39.80 Set g. Sec. post at amaze dist. from which
 a Buck 20 in. diam. Vans S 24 E 25 W. dist. 9
 a Do 16 " " " N 65 W 5 " "
 79.60 To Sec. Corner.

North Return Sec. 23 & 24 -

18.53 a Buck 18 in. diam.
 40.00 Set g. Sec. post from which
 a Buck 4 in. diam. Vans S 5 W 13 W. dist. 9
 an Iron rod 4 " " " N 30 E 21 " "
 56.69 a Sugar 24 " "
 66.43 a Buck 20 " "
 80.00 Set post cn. to Sec. 13, 14, 23 & 24 from which
 a Hickory 6 in. diam. Vans S 43 E 14 W. dist. 9
 a Buck 9 " " " N 53 W 31 " "

27

W. 22 N. - W. 8 E. 2nd Mer. Indiana.

East in Random between Secs. 13 & 24 -

40.00 Set temp. q. Sec. post -

79.98 Intersect E. Bound. line 180 W. N. of post -

West Corner between Secs. 13 & 24 -

39.99 Set q. Sec. post at average dist. from which
a Beech 20 in. diam. bears S 70 E 30 W dist. 4
a Do 10 " " " N 33 W 16 " "

79.98 To Sec. Corner.

North Return Secs. 13 & 24

29.00 a W. Walnut 30 in. diam.

40.00 Set q. Sec. post from which

a Hickory 19 in. diam. bears S 46 E 46 W. dist. 9
an Ironwood 4 " " " N 77 W 28 " "

59.00 an Elm 26 " "

71.30 a S. Ash 5 " "

80.00 Set post on to Secs. 11, 12, 13 & 24 fr. which
a S. Ash 5 in. diam. bears S 3 E 10 W dist. 4
a Do 6 " " " N 2 W 13 " "

East in Random between Secs. 12 & 19 -

40.00 Set temp. q. Sec. post -

80.02 Intersect E. Bound. line 205 W. N. of post -

West Corner between Secs. 12 & 19 -

40.01 Set q. Sec. post at average dist. from which
an Ironwood 7 in. diam. bears S 35 E 7 W. dist. 4
a Dogwood 6 " " " N 34 W 14 " "

80.02 To Sec. Corner. November 5th 1822 -

North Return Secs. 11 & 12 -

32.28 a Sugar 18 in. diam.

40.00 Set q. Sec. post from which

a S. Ash 36 in. diam. bears S 35 E 27 W. dist. 9
a Beech 10 " " " N 46 W 26 " "

Sec. 22 N. - T. 8 E. 2nd Mer. Indiana

57.53 a W. Oak 16 in. diam.
 69.76 a Beech 14 " "
 80.00 Set post ca. to Sec. 1. 2. 11 & 12 from which
 a S. Ash 8 in. diam. bears S 80 E 14 W. dist. 4
 a Do 6 " " " North 15 " "

East or Random Return Sec. 14 & 12 -

40.00 Set temp. gp. Sec. post -
 80.10 Intersect E. Bound. line 210 W. N. of post.

West Corner Return Sec. 14 & 12

40.05 Set gp. Sec. post at same dist. from which
 a W. Oak 48 in. diam. bears S 15 E 18 W. dist. 4
 a Beech 20 " " " N 40 W 26 " "
 80.10 To Sec. Corner.

North Return Sec. 14 & 12

18.00 a Hickory 20 in. diam.
 36.78 a S. Ash 21 " "
 40.00 Set gp. Sec. post from which
 a Beech 16 in. diam. bears South 3 W. dist. 4
 a Do 21 " " " N 80 E 29 " "
 66.52 a Spruce 15 " "
 78.64 Intersect N. Bound. line 175 W. N. of post -
 where Set post ca. to Sec. 14 & 12 from which
 a S. Ash 10 in. diam. bears S 47 N 18 W. dist. 4
 an Elm 18 " " " N 35 E 16 " "
 Sand & Timber same as ~~the~~ last described.

North Return Sec. 34 & 35

6.44 a Stream 15 W. wide corner S. N.
 22.45 a W. Oak 23 in. diam.
 40.00 Set gp. Sec. post from which
 a Beech 6 in. diam. bears S 11 E 32 W. dist. 4
 an Elm 40 " " " N 31 W 15 " "
 60.67 a Beech 20 " "

29

July 22 N. - R. & E. 2nd Mer. Indiana

73.25 a B. Ash 21 in. diam.
 80.00 Let post cen. to Secs. 26, 27, 34 & 35 from which
 a Beech 15 in. diam. bears S 79 E 24 W. dist. 8
 a Do 13 " " " N 74 W 28 "

East on Random between Secs. 26 & 35—
 40.00 Let temp. q. Sec. post—
 79.75 Intersect M. line 100 W. N. of post—

West corner between Secs. 26 & 35—
 39.87½ Let q. Sec. post at average dist. from which
 a Beech 22 in. diam. bears N 22 E 18 W. dist. 8
 a Do 19 " " " S 27 W 11 " "
 79.75 To Sec. Corner.

North between Secs. 26 & 27
 23.90 a Beech 15 in. diam.
 34.30 a Do 18 " "
 40.00 Let q. Sec. post from which
 a Bur Oak 15 in. diam. bears N 44 E 9 W. dist. 8
 a Lycamore 8 " " " N 57 W 16 " "
 64.88 a B. Ash 20 " "
 80.00 Let post cen. to Secs. 22, 23, 26 & 27 fr. which
 a Beech 16 in. diam. bears S 26 W 27 W. dist. 8
 a Do 27 " " " N 71 E 6 " "
 November 6th 1892.

East on Random between Secs. 23 & 26—
 40.00 Let temp. q. Sec. post
 79.80 Intersect M. line 100 W. N. of post—

West corner between Secs. 23 & 26—
 39.90 Let q. Sec. post at average dist. from which
 a Beech 16 in. diam. bears S 44 E 15 W. dist. 8
 a B. Ash 26 " " " N 54 W 39 " "
 79.80 To Sec. Corner.

W 22 N. R. & E. 9th Mer. Indiana.

North Return Secs. 22 & 23

27.40 a W. Oak 30 in. diam.

40.00 Let gr. Sec. post from which
an Ironwood 14 in. diam. bears S 30 W 7 W. dist. 8
a Beech 5 " " " N 60 E 11 " "

53.26 a Hickory 28 " "

70.20 a Do 36 " "

80.00 Let Post ca. to Secs. 14, 15, 22 & 23 from which
an Elm 15 in. diam. bears S 45 E 54 W. dist. 8
a Hickory 24 " " " N 31 W 9 " "

East on Random between Secs. 14 & 23—

40.00 Let temp. gr. Sec. post—

79.90 Intersect N. line 76 W. St. of post—

West Corner between Secs. 14 & 23—

39.95 Let gr. Sec. post at a range dist. from which
an Elm 16 in. diam. bears N 85 E 14 W. dist. 8
a Do 18 " " " S 83 W 7 " "

79.90 To Sec. Corner.

North Return Secs. 14 & 15

26.23 a Hickory 16 in. diam.

32.67 a Beech 15 " "

40.00 Let gr. Sec. post from which
a Beech 18 in. diam. bears S 13 W 6 W. dist. 8
a Do 5 " " " N 6 E 27 " "

70.76 an Elm 16 " "

80.00 Let Post ca. to Secs. 10, 11, 14 & 15 from which
an Elm 23 in. diam. bears S 44 E 26 W. dist. 8
a Do 33 " " " N 33 W 27 " "

East on Random between Secs. 11 & 14—

40.00 Let temp. gr. Sec. post—

79.96 Intersect N. line 109 W. St. of post—

31

of 22 N. - W. & E. 9th Mo. Indiana

West Corner Section Sect. 11 & 14 -

39.98 Let q. Sec. Post at average dist. from which
 a Buck 18 in. diam. bears N 87 W 21 W. dist. 4
 a Do 17 " " " N 35 W 13 " "
 79.96 To Sec. Corner.

North Section Sect. 10 & 11

15.19 an Elm 24 in. diam.
 34.81 a Do 18 " "
 40.00 Let q. Sec. Post from which
 an Elm 19 in. diam. bears S 52 W 22 W. dist. 9
 a Do 26 " " " N 20 E 29 " "
 61.19 a Spruce 10 " "
 80.00 Let Post c. to Sect. 9, 3, 10 & 11 from which
 a Buck 6 in. diam. bears S 47 E 14 W. dist. 8
 a Do 7 " " " N 49 W 27 " "
 November 7th 1822 -

East on Random Section Sect. 2 & 11 -

40.00 Septemp. q. Sec. Post
 80.25 Intersect Mt. line 130 W. P. N. of post

West Corner Section Sect. 2 & 11 -

40.12 1/2 Let q. Sec. Post at average dist. from which
 a Buck 14 in. diam. bears S 45 E 30 W. dist. 8
 an Elm 24 " " " N 60 W 14 " "
 80.25 To Sec. Corner.

North Section Sect. 2 & 3 -

31.17 a Buck 16 in. diam.
 40.00 Let q. Sec. Post from which
 a Buck 7 in. diam. bears S 19 E 7 W. dist. 4
 a Do 23 " " " N 3 W 33 " "
 77.84 Section on N. Bound. line 400 W. N. of Post
 then let Post c. to Sect. 2 & 3 from which
 a Buck 18 in. diam. bears S 45 E 30 W. dist. 8

Ms. D. N. - R. & E. 9th Mer. Indiana.

a Hickory 14 in. diam. - was 142 W 13 W. dir.
November 9th 1822

North Return Sect. 33 & 34 -

22.75 a Buck 12 in. diam.

40.00 Let gr. Sec. post from which

a Buck 14 in. diam. - was 158 W 13 W. dir. 9

a Do 28 " " " 176 E 15 " "

56.95 a Do 13 " "

73.58 a Do 15 " "

80.00 Let Post Ca. to Sect. 27, 28, 33 & 34 f. which

a Buck 13 in. diam. - was 150 W 19 W. dir. 9

a Hickory 19 " " " 118 E 26 " "

East in Random Return Sect. 27 & 34 -

40.00 Let temp. gr. Sec. post

79.56 Internal M. line 20 W. S. of post.

West Corner Return Sect. 27 & 34 -

39.78 Let gr. Sec. post at a mag. dir. from which

a B. Ash 5 in. diam. - was 140 E 11 W. dir. 9

a Buck 18 " " " 137 W 30 " "

79.56 To Sec. Corner

North Return Sect. 27 & 28 -

12.44 a Hickory 26 in. diam.

36.45 a Buck 18 " "

40.00 Let gr. Sec. post from which

a Spruce 12 in. diam. - was 122 W 11 W. dir. 9

a Do 10 " " " 110 E 45 " "

53.22 an Elm 24 " "

80.00 Let Post Ca. to Sect. 21, 22, 27 & 28 from which

an Elm 14 in. diam. - was 122 E 5 W. dir. 9

a Buck 16 " " " 137 W 23 " "

East in Random Return Sect. 22 & 27 -

33

W. D. N. - R. & E. Ind. Mu. Indiana

40.00 Set temp. gn. Sec. Post
 79.78 Distinct M. line 5 W. E. of Post -

West Corner Petrius Secs. 22 & 27 -
 39.89 Set gn. Sec. Post at amag. dist. from which
 a Beech 12 in. diam. trans S 8 E 10 W. dist. 9
 a Do 12 " " " S 88 W 10 " "
 79.78 To Sec. Corner.

North Petrius Secs. 21 & 22 -
 25.50 a Syc 24 in. diam.
 40.00 Set gn. Sec. Post from which
 an Elm 28 in. diam. trans S 11 E 45 W. dist. 9
 a W Oak 29 " " " North 12 " "
 55.36 a Beech 28 " "
 74.56 a Do 10 " "
 80.00 Set Post cor. to Secs. 15, 16, 21 & 22 from which
 an Ironwood 5 in. diam. trans S 44 W 3 W. dist. 9
 a Do 4 " " " S 66 E 6 " "

East on Random Petrius Secs. 15 & 22 -
 40.00 Set gn. Sec. Post (temp.)
 79.76 Distinct M. line 36 W. N. of Post -

West Corner Petrius Secs. 15 & 22
 39.88 Set gn. Sec. Post at amag. dist. from which
 an Elm 23 in. diam. trans N 68 E 11 W. dist. 9
 a Beech 13 " " " S 39 W 22 " "
 79.76 To Sec. Corner November 10th 1822

North Petrius Secs. 15 & 22 -
 30.42 a Hickory 16 in. diam.
 40.00 Set gn. Sec. Post from which
 an Elm 15 in. diam. trans S 68 W 15 W. dist. 9
 a Do 9 1/2 " " " N 80 E 2 " "
 57.44 a Hickory 18 " "

T. D. N. T. B. 8 E. 9th Mer. Indiana

70.85 at B. Ash 19 in. diam.
 80.00 Set post ca. to Sec. 9, 10, 15 & 16 from which
 at Buck 18 in. diam. bears S 24 W 23 mi. dist. g.
 a Do 20 " " " N 40 E 39 " "

East in Random between Sec. 10 & 15 -
 40.00 Set temp. gr. Sec. post
 80.00 External M. line 100 W. N. of post -

West Corner between Sec. 10 & 15
 40.00 Set gr. Sec. post at average dist. from which
 at Buck 8 in. diam. bears N 80 E 17 mi. dist. g.
 at Hickory 18 " " " S 85 W 17 " "
 80.00 To Sec. Corner.

North between Sec. 9 & 10
 19.50 at Hickory 19 in. diam.
 37.20 an Elm 24 " "
 40.00 Set gr. Sec. post from which
 an Elm 20 in. diam. bears S 44 W 44 mi. dist. g.
 at Hickory 6 " " " N 47 E 15 " "
 63.67 at W. Oak 21 " "
 80.00 Set post ca. to Sec. 3, 4, 9 & 10 from which
 an Elm 20 in. diam. bears S 10 W 20 mi. dist. g.
 at Hickory 18 " " " N 8 E 30 " "

East in Random between Sec. 3 & 10 -
 40.00 Set temp. gr. Sec. post -
 79.98 External M. line 77 W. N. of post -

West Corner between Sec. 3 & 10 -
 39.99 Set gr. Sec. post at average dist. from which
 an Elm 12 in. diam. bears S 82 E 45 mi. dist. g.
 at B. Ash 28 " " " S 60 W 21 " "
 79.98 To Sec. Corner.

35

W. 22 N. - W. 8 E. 2nd Mer. Indiana

North Return Secs. 3 & 4 -

29.92 an Elm 18 in. diam.
 40.00 Let gp. Sec. post from which
 a Buck 15 in. diam. bears S 18 E 13 W. dist. 8
 a Do 23 " " " N 40 W 27 " "
 59.36 a Do 13 " "
 73.20 a Do 8 " "
 77.42 Intersect N. Round. line 600 W. N. of post
 when let post Cu. to Secs. 3 & 4 from which
 a Sugar 20 in. diam. bears S 85 E 4 W. dist. 8
 a Buck 12 " " " N 41 W 41 " "
 November 11th 1822

North Return Secs. 32 & 33

20.42 a Buck 19 in. diam.
 40.00 Let gp. Sec. Post from which
 an Elm 8 in. diam. bears S 21 E 31 W. dist. 8
 a Buck 5 " " " N 37 W 42 " "
 52.00 a Do 15 " "
 62.10 a Hickory 24 " "
 80.00 Let post Cu. to Secs. 28, 29, 32 & 33 from which
 an Elm 8 in. diam. bears S 42 E 44 W. dist. 8
 a Do 28 " " " N 35 W 21 " "

East and Random Return Secs. 28 & 33 -

40.00 Let temp. gp. Sec. Post -
 79.88 Intersect N. line 600 W. N. of Post -

West Corner Return Secs. 28 & 33 -

39.94 Let gp. Sec. post at a mag. dist. from which
 a B. Ash 18 in. diam. bears N 41 E 30 W. dist. 8
 a Do 25 " " " S 40 W 22 " "
 79.88 To Sec. Corner

North Return Secs. 28 & 29 -

17.23 a Buck 16 in. diam.

W. D. N. R. & Co. 2nd Mer. Indiana

30.35 a Hickory 24 in. diam.

40.00 Set g. Sec. post from which
a Beech 9 in. diam. bears S 12 E 52 W. dist. 4
a Hickory 23 " " " N 10 W 42 " "

62.17 an Elm 26 " "

80.00 Set Post cen. to Secs. 20, 21, 28 & 29 from which
a Beech 16 in. diam. bears S 47 W 32 W. dist. 4
a Do 17 " " " S 37 E 22 " "

East at Random between Secs. 21 & 28 -

40.00 Set g. Sec. Post (temp.)

80.00 Intersect Mt. line 53 W. N. of Post -

West Corner between Secs. 21 & 28 -

40.00 Set g. Sec. post at average dist. from which
a Beech 14 in. diam. bears N 88 E 31 W. dist. 4
an Ironwood 4 " " " S 59 W 34 " "

80.00 To Sec. Corner.

North between Secs. 20 & 21 -

19.70 a Sugar 19 in. diam.

40.00 Set g. Sec. Post from which
a Sugar 15 in. diam. bears S 35 W 3 W. dist. 4
a Beech 14 " " " N 40 E 31 " "

54.43 a W. Oak 15 " "

74.80 a Beech 18 " "

80.00 Set Post cen. to Secs. 16, 17, 20 & 21 from which
a W. Oak 13 in. diam. bears S 21 W 31 W. dist. 4
a Do 36 " " " N 77 E 17 " "

East at Random between Secs. 16 & 21

40.00 Set temp. g. Sec. post

79.93 Intersect Mt. line 90 W. N. of Post -

West Corner between Secs. 16 & 21 -

39.96 Set g. Sec. Post at average dist. from which

M. D. N. R. & E. L. Mead Indiana ³⁷

a Buck 15 in. diam. trees S 36 E 10 1/2 mi. dist. &
 a Do 19 " " " N 35 W 18 " "
 79.93 To Sec. Corner.

North Return Secs. 16 & 17 -

17.70 a Hickory 8 in. diam.
 32.45 a S. Ash 12 " "
 40.00 Let q. Sec. Post from which
 a S. Ash 4 in. diam. trees S 39 W 14 1/2 mi. dist. &
 an Elm 12 " " " N 74 E 5 " "
 60.20 a B. Ash 24 " "
 50.00 Let post c. to Secs. 8, 9, 16 & 17 from which
 a Buck 10 in. diam. trees S 39 W 34 1/2 mi. dist. &
 a Do 14 " " " N 45 E 15 " "

East or Random between Secs. 9 & 16 -

40.00 Let temp. q. Sec. Post
 79.86 Put out the W. line 15 1/2 mi. N. of post.

West Corner between Secs. 9 & 16 -

39.93 Let q. Sec. Post at average dist. from which
 a B. Ash 8 in. diam. trees N 77 E 13 1/2 mi. dist. &
 a Do 10 " " " S 63 W 17 " "
 79.86 To Sec. Corner.

North Return Secs. 8 & 9

23.44 a Hickory 30 in. diam.
 40.00 Let q. Sec. Post from which
 a Buck 14 in. diam. trees S 35 W 32 1/2 mi. dist. &
 a Do 26 " " " N 56 E 44 " "
 56.45 a B. Ash 18 " "
 71.75 a Do 6 " "
 50.00 Let Post c. to Secs. 4, 5, 8 & 9 from which
 a S. Ash 4 in. diam. trees S 35 E 16 1/2 mi. dist. &
 a Do 6 " " " N 35 W 15 " "

W 22 N. - R. 8 E. 2nd Mer. Indiana

East on Random between Secs 4 & 9 -
 40.00 Set temp. gr. Sec. post.
 79.79 Enter on N. line 15th W. of post.

West corner between Secs 4 & 9 -
 39.89¹/₂ Set gr. Sec. post at average dir. from which
 a Beech 26 in. diam. bears N 48 E 85th dist. 9
 a Do 15 " " " S 57 E 29 " "
 79.79 To Sec. Corner

North between Secs 4 & 5 -
 25.11 a Sugar 16 in. diam.
 40.00 Set gr. Sec. post from which
 a B. Ash 18 in. diam. bears S 45 W 14th dist. 9
 a Beech 16 " " " N 6 E 37 " "
 54.32 a B. Ash 8 " "
 63.85 a Beech 12 " "
 77.45 Enter on N. Bound. line - 596th W. of post.
 when set post on to Sec. 4 & 5 from which
 a Beech 18 in. diam. bears S 44 E 30th dist. 9
 an Elm 26 " " " N 33 W 37 " "
 March 12th 1822

North between Secs 31 & 32
 15.50 a Sugar 26 in. diam.
 30.18 an Elm 16 " "
 40.00 Set gr. Sec. post from which
 a Hickory 30 in. diam. bears S 28 E 66th dist. 9
 a Do 33 " " " North 31 " "
 65.78 an Elm 24 " "
 80.00 Set post on to Secs 29, 31, 31 & 32 from which
 a Beech 4 in. diam. bears S 86 E 11th dist. 9
 a Do 14 " " " N 78 W 34 " "

East on Random between Secs 29 & 32 -
 40.00 Set temp. gr. Sec. post -

39

W. D. N. R. & Co. 2nd Mer. Indiana.

79.68 Entered M. line 40 W. S. of Post.

West Corner between Secs. 29 & 32

39.821 Set gp. Sec. Post at average dist. from which
 a Buck 16 in. diam. bears N 69 E 10 W. dist. 4
 a Do 8 " " " N 63 W 20 " "

79.68 To Sec. Corner

West between Secs. 30 & 31

13.60 a Hickory 26 in. diam.

31.56 a Buck 20 " "

40.00 Set gp. Sec. Post from which

a Maple 10 in. diam. bears N 82 E 23 W. dist. 4

a Do 7 " " " N 4 W 11 " "

62.50 an Elm 18 " "

79.60 Entered N. Grand. line 70 W. S. of Post

when set post cor. to Secs. 30 & 31 from which

a Buck 16 in. diam. bears N 4 E 10 W. dist. 4

a Do 17 " " " N 34 W 28 " "

Monm 13th 1822.

North between Secs. 29 & 30

26.32 a Buck 22 in. diam.

36.00 a Hickory 19 " "

45.00 Set gp. Sec. Post from which

a Buck 15 in. diam. bears S 70 W 20 W. dist. 4

a Do 7 " " " N 87 E 13 " "

49.95 a B. Ash 8 " "

50.00 Set Post cor. to Secs. 19, 20, 29 & 30 from which

a Buck 17 in. diam. bears N 4 W 27 W. dist. 4

a Do 4 " " " N 4 E 6 " "

East with Randam between Secs. 20 & 29

40.00 Set temp. gp. Sec. Post

50.01 Entered M. line 10 W. S. of Post.

W. D. N. R. & E. L. Mer. Indiana

West corner between Secs. 20 & 29

40.00 Set g. Sec. Post at average dir. from which
a Willow 8 in. diam. bears N 60 E 78 W. dir. 4
a Hickory 8 " " " S 57 W 41 " "
80.01 To Sec. Corner.

West between Secs. 19 & 30

25.52 a Hickory 20 in. diam.

40.00 Set g. Sec. Post from which
a Buck 16 in. diam. bears East 33 W. dir. 4
a Do 8 " " " N 69 W 11 " "

60.22 a Do 24 " "

72.75 a Pl. Oak 14 " "

75.02 Put in N. Bound. line 70 W. S. of post
when set Post cent. to Secs. 19 & 30 from which
a Buck 18 in. diam. bears S 58 E 14 W. dir. 4
a Do 15 " " " N 23 W 19 " "

North between Secs. 19 & 20.

16.00 an Elm 15 in. diam.

40.00 Set g. Sec. Post from which
a Pl. Oak 5 in. diam. bears S 64 W 6 W. dir. 4
a Buck 13 " " " N 70 E 24 " "

57.74 a Poplar 27 " "

75.43 an Elm 18 " "

80.00 Set Post cent. to Secs. 17, 18, 19 & 20 from which
a Buck 18 in. diam. bears S 44 E 25 W. dir. 4
a Buck " " " N 71 W 35 " "

East on Randam between Secs. 17 & 20 -

40.00 Set temp. g. Sec. Post.

79.98 Put in N. Bound. line 46 W. S. of Post.

West corner between Secs. 17 & 20 -

39.99 Set g. Sec. Post at average dir. from which
a Buck 8 in. diam. bears N 63 E 9 W. dir. 4

41

Wm. D. N. R. & Co. 9th Mo. Indiana.

a Buck 31 in diam. was shot W 2 W. dist.
74.98 To Sec. Corner.

West Return Sec. 18 & 19 -

13.39 a W. Oak 18 in diam.

32.51 a Do 40 " "

40.00 Set gp. Sec. Post from which
an Elm 17 in diam. was shot N 37 E 4 W. dist. 4
a Do 18 " " " 076 W 34 " "

66.00 a Hickory 19 " "

74.87 Entered W. Bound line 90 W. S. of post
when set post ca. to Sec. 18 & 19 from which
a Buck 7 in diam. was shot N 30 E 20 W. dist. 4
a Do 9 " " " 144 W 13 " "

North Return Sec. 17 & 18

50.11 an Elm 14 in diam.

40.00 Set gp. Sec. Post from which
a Buck 16 in diam. was shot N 72 E 41 W. dist. 4
a Do 20 " " " N 45 W 42 " "

50.45 a Sugar 16 " "

71.52 a Buck 28 " "

80.00 Set Post ca. to Sec. 7, 8, 17 & 18 from which
a W. Ash 6 in diam. was shot N 11 E 18 W. dist. 4
a Buck 7 " " " N 28 E 4 " "

East or Random Return Sec. 8 & 17 -

40.00 Set temp. gp. Sec. Post -

74.90 Entered N. S. line 20 W. S. of Post -

West Corner Return Sec. 8 & 17 -

59.95 Set gp. Sec. Post at angle dist from which
a Cherry 6 in diam. was shot N 69 E 20 W. dist. 4
a Buck 7 " " " N 57 W 31 " "

74.90 To Sec. Corner.

Ch. 22 N. - R. & E. J. M. Indiana

West Return Loc. 7 & 8 -

15.69 a Sugar 18 in. diam.

30.65 an Elm 24 " "

40.00 Set g. Loc. Post from which
an Elm 3 in. diam. bears N 5 E 31 W. dir. 9
a Buck 5 " " " S 70 W 32 " "

58.65 a Sugar 15 " "

71.76 Enter at N. Bound. line 3 W. S. of Post,
then set Post C. to Loc. 7 & 8 from which
a Sugar 5 in. diam. bears S 72 E 5 W. dir. 9
a Hickory 20 " " " N 45 E 14 " "
November 14th 1822

North Return Loc. 7 & 8 -

19.71 a B. Ash 15 in. diam.

40.00 Set g. Loc. Post from which
an Elm 4 in. diam. bears S 20 E 27 W. dir. 9
a Maple 7 " " " S 19 W 14 " "

58.15 a B. Ash 13 " "

64.72 a B. Oak 16 " "

80.00 Set Post C. to Loc. 5, 6, 7 & 8 from which
a Buck 16 in. diam. bears S 49 E 15 W. dir. 9
an Elm 10 " " " N 33 W 22 " "

East w. Random Return Loc. 5 & 8 -

40.00 Set temp. g. Loc. Post from which

79.30 Enter at N. line 2 W. S. of Post

West Corner Return Loc. 5 & 8 -

39.65 Set g. Loc. Post at image dir. from which
a Hickory 19 in. diam. bears S 24 E 14 W. dir. 9
a Buck 15 " " " N 80 W 18 " "

79.30 To Loc. Corner.

West Return Loc. 6 & 7

16.80 a W. Oak 22 in. diam.

43

M. D. N. R. & Co. 2nd Mer. Indiana.

3-1- an Elm 24 in. diam.
40.00 Set g. Sec. post from which
a Buck 20 in. diam. near N 30 E 46 W. dir.
a Do 8 " " " South 8 " "
62.40 a Sugar 16 " "
70.40 Intersect N. Bound. line 81 W. S. of Post,
when Set Post C. to Sec. 6 & 7 from which
a Buck 19 in. diam. near East 3 W. dir.
a Do 16 " " " N 61 W 38 " "

North Peterson Sec. 5 & 6
19.20 an Elm 23 in. diam.
31.41 a B. Ash 8 " "
40.00 Set g. Sec. post from which
an Ironwood 9 in. diam. near S 3 E 10 W. dir.
a B. Ash 8 " " " North 25 " "
56.45 a Buck 18 " "
68.50 a Do 14 " "
79.50 Intersect N. Bound. line 34 1/2 W. N. of post
when Set Post C. to Sec. 5 & 6 from which
a B. Ash 18 in. diam. near S 13 E 14 W. dir.
a W. Oak 14 " " " N 21 W 7 " "
November 15th 1822.

The Land and Timber in this
Township is nearly the same.

Surveyed in 1822 by
David Willis
Deputy Surveyor.

Secy. of the R. & E. 2nd Mer. Indiana

I certify, that the foregoing Transcript
of the Field Notes of Township 22 North,
in Range 8 East of the 2nd Meridian
in Indiana, has been compared with
the original in this office, and found
to be correct.

Surveyor General's Office,
Cincinnati Oct. 17th 1845

William Johnston
S. W. Genl.